


DIABETES & COVID-19

A **third** of COVID-19 patients that died in England had diabetes.



Type 1 VS Type 2 Diabetes

Patients with Type 1 Diabetes have a **3.5x** **HIGHER** RISK OF DEATH, IF ADMITTED TO HOSPITAL WITH COVID-19 THAN PEOPLE WITHOUT DIABETES

Patients with Type 2 Diabetes have a **2x** **HIGHER** RISK OF DEATH, IF ADMITTED TO HOSPITAL WITH COVID-19 THAN PEOPLE WITHOUT DIABETES

If you have any concerns about your diabetes during the pandemic, contact:



YOUR GP PRACTICE



DIABETES UK HELPLINE

03451232399
Mon - Fri: 9am - 6pm



LOOK OUT FOR these signs and symptoms of a life-threatening diabetic **emergency**



SIGNS & SYMPTOMS

EMERGENCY

Vomiting
Severe tummy ache
Labored breathing

DIABETIC KETOACIDOSIS

Thirst
Nausea
Disorientation

HYPERGLYCAEMIA AND HHS

Shaking
Sweating
Confusion

HYPO GLYCAEMIA

If you recognise these signs & symptoms, seek **urgent medical advice** from your **GP** or **111**

If you feel very unwell, call **999**

